

Price Schedule

Name of work : P&F of ACP Sheet Shed at NICPD, Gurgaon

| Sr. No. | Description of Item | Qty. | Unit | Rate | Amount |
|---------|--|------|---------|------|--------|
| 1. | Providing, fabricating and supplying and fixing panels of aluminium composite panel cladding in metallic colour of approved shades made out of 4mm thick aluminium composite panel material consisting of 3mm thick FR grade mineral core sandwiched between two Aluminium sheets (each 0.5mm thick). The aluminium composite panel cladding sheet shall be coil coated, with Kynar 500 based PVDF / Lumiflon based fluoropolymer resin coating of approved colour and shade on face # 1 and polymer (Service) coating on face # 2 as specified using stainless steel screws, nuts, bolts, washers, cleats, weather silicone sealant, backer rods etc. to with stand stresses without sagging. | 120 | Sq. mt. | | |
| 2. | Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position at a height of 10.5 feet including grouting the and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete. • Hot finished welded type tubes. | 1100 | Kg. | | |
| 3. | Providing and Laying CC in 1:1.5:3 ratio (1 cement: 1.5 coarse sand : 3 graded stone aggregate 20 mm nominal size) cement concrete including providing form work etc. complete. | 0.08 | cum | | |
| 4. | Providing and Fixing Stainless Steel 304 grade Expandable fasteners through drilling holes in the beams including tightening with SS and neoprene washers. 150 mm fasteners with 12 mm dia | 12 | each | | |

Grand Total :

Accepted by me

Name

Address

Mob. No.

Terms and Conditions:

1. The work shall be executed as per the approved drawing.
2. The work is time-bound and needs to be completed within 5 days from the issue of the work order.
3. The steel pipe should be ISI marked.
4. The ACP sheet shall be Alstone/Alu Decor.
5. The steel work structure must be sturdy to withstand the lateral and wind pressures.
6. The frame shall be in proper gradient for easy flow of storm/rainwater.
7. The welding butt joints should be perfect, linear and thorough.
8. The joints shall be properly grinded to wipe-off surplus welding residue.
9. The cladding of ACP sheets shall be properly segmented in consultation with the Engineer Incharge.
10. The finishing/filling of joints should be neat, perfect and presentable.
11. The framework shall be grouted at regular spacing to achieve soundness of the structure.
12. In case of delay a penalty @ 1% per day upto a maximum of 5% could be levied.
13. No running payment shall be made.
14. Final payment shall be made within 7 days from the date of completion/date of submission of the bill.
15. In case of any dispute, Hon'ble Chairman shall be sole Arbitrator and his decision shall be final and binding on both the parties.

Accepted by me

Name

Address

Mob. No.

CENBOSEC, Delhi – 92
E-Mail: cbseedi@nda.vsnl.net.in
website: www.cbse.nic.in



Phone: 22509256-59
Fax: 22515826

CENTRAL BOARD OF SECONDARY EDUCATION

(An Autonomous Organisation under the Union Ministry of Human Resource Development Govt. of India)
"SHIKSHA KENDRA", 2, COMMUNITY CENTRE, PREET VIHAR, DELHI – 110092

F-2025/ACP/NICPD/Grg/

06.03.2014

.....
.....
.....
.....

Sub: Providing and Fixing of ACP Sheet Shed at NICPD, 76G, Sec-18, Gurgaon

Sir,

The CBSE intends to get the ACP Sheet Shed work executed at NICPD Premises 76 G, Sec-18, Gurgaon on urgent basis. The ACP Sheet Shed shall be at a height of approx. 10.5' ft. The design of the ACP Sheet Shed vis-a-vis the truss shall be as per the direction of the Engineer Incharge. The agencies having sound experience need to apply on the prescribed format annexed herewith. The tender documents duly filled in, accompanied with an EMD of Rs. 10000/- payable through DD/BD in f/o the Secretary, CBSE, Delhi must reach the Board latest by 17.03.2014 upto 2.30 p.m. The tenders are to be dropped in the tender-box placed at Reception Counter of CBSE, HQ Bldg., Preet Vihar, Delhi-110092. Incomplete, conditional & belated tenders shall be summarily rejected.

Yours faithfully

(S.K.Sharma)
Consultant (Tech.)