

CENTRAL BOARD OF SECONDARY EDUCATION

(An autonomous organization under Min. of Human Resource Development, Govt. of India)

**SHIKSHA KENDRA, 2, COMMUNITY CENTRE, PREET VIHAR,
DELHI-92**

TENDER NOTICE

Sealed tenders under two-Bid system are invited from reputed agencies for execution of Misc. works detailed hereunder:

	P.E.	EMD
1. Civil Works (Partitions/Panelling)	Rs. 10.0 Lakh	Rs.30,000/-
2. Elect & Misc. Wiring Work	Rs. 4.0 Lakh	Rs.12,000/-
3. P&F Carpeting & Curtains	Rs. 3.8 Lakh	Rs.10,000/-
4. S&I R.O. (Water Purifier), Water Cooler & Tea/Coffee dispenser	Rs. 1.5 Lakh	Rs. 5,000/-

Agencies having executed at least 2 works of similar nature may apply for item No. 1& 2. EMD as detailed above & cost of tender Rs. 500/- payable through DD/BD in f/o The Secretary, CBSE Delhi is to be annexed. Tenders duly filled in be dropped in the tender-box placed at Kendriya Vidyalaya, Kirkee, Pune on or before 10.07.2014 upto 2.00 P.M. Tender documents be down loaded through our website: www.cbse.nic.in Incomplete, conditional & belated tenders shall be summarily rejected.

Jt.Secretary (A&L)

IMPORTANT INSTRUCTIONS TO THE TENDERERS

1. Agencies may quote for any item of work for which it has the expertise & qualifies the tender parameters.
2. Incomplete and conditional tenders shall be summarily rejected.
3. Rates are to be quoted in words and figures without any cutting /overwriting.
4. Interested Agencies shall be required to enclose all requisite documents i/c catalogues etc.
5. Any additional information required by CBSE in respect of the work experience shall be submitted by the tenderers within three days, failing which the offer shall not be entertained.
6. Tenders received without EMD as specified in the tender notice & cost of tender Rs. 500/- in the form of a Demand Draft shall be summarily rejected.
7. The authorized signatory must quote his telephone & mobile numbers.
8. The tenders shall be opened on 10.07.2014 at 2.30 p.m.
9. The tenderer shall be required to submit experience, regn. No. & other documents alongwith the tender.
10. The work is time-bound, & needs to be executed, qualitatively.
11. Agencies may quote for any item of work for which it has the expertise & qualifies the tender parameters.

CENTRAL BOARD OF SECONDARY EDUCATION

Last date of submission : 10.7.2014
upto 2.00 P.M.

Note:
Instructions to the Tenderer:

Tenderer must read the Important Instructions
before filling the particulars in the part.

Name of the work:

Electrical Installation & Misc. allied works

1. Credentials of the Tenderers

1.1 Name of the Agency with
Regn. No.

1.2 Office Address and
Tel No.

1.3 Name(s) of the proprietor/
Partners

1.4 WCT No.

1.5 PAN/TAN No.
(with documentary evidence)

1.6 Annual turnover during last three years
(2011-12,2012-13,2013-14)
Supported with documentary evidence

2.0 Has the firm been even debarred/Black

Listed by any organization ?

If 'Yes' the details thereof.

2.1 The organizational set-up including

Technical infrastructure/staff strength in all the categories.\
.....

2.2 Particulars of Demand Drafts annexed as E.M.D & cost of tender, Rs 500/- DD No.....

E.M.D. Rs. /- DD No.

Name of the Bank:

2.3 Names of the Organisations/Bldgs. where similar work has been completed.

- 1.
- 2.
- 3.
- 4.
- 5.

(Signature of the tenderer)

Tel No. :

Mobile No.:

Schedule of work

Name of work: Electrical Installation & Misc. allied works.

S.No.	Description	Unit	Qty	Rate	Amount
1.	Wiring for light point /fan point/ exhaust fan point /call bell point with 1.5 sq.mm. FRPVC insulated copper conductor single core cable in surface/recessed medium class PVC conduit, with modular switch, modular plate, suitable GI box earthing the point with 1.5 sq.mm. FR PVC insulated copper conductor single core cable etc as required. 1. Group A 2. Group B 3. Group C	Point Point Point	10 30 110		
2.	Wiring for twin control light point with 1.5 sq.mm. FR PVC insulated copper conductor single core cable in surface recessed medium class PVC conduit, 2 way modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm. FR PVC insulated copper conductor single core cable etc as required.	Point	4		
3.	Wiring for light/power plug with 2x4 sq.mm. FRPVC insulated copper conductor single core cable in surface/recessed medium class PVC conduit along with 1 No. 4 sq.mm. FR PVC insulated copper conductor single core cable for loop earthing as required.	Metre	200		
4.	Wiring for circuit/ submain wiring along with earth wire with the following size of FR PVC insulated copper conductor, single core cable in surface/recessed medium class PVC conduit as required. 1. 2 x 1.5 sq.mm. +1 x 1.5sq.mm. earth wire 2. 2 x 2.5sq.mm. + 1 x 2.5 sq.mm. earth wire 3. 2 x 4 sq.mm. +1 x 4 sq.mm. earth wire 4. 2 x6 sq.mm. + 1 x 6 sq.mm. earth wire 5. 2 x 10 sq.mm. + 1 x 10 sq.mm. earth wire 6. 2 x 16 sq.mm. + 1 x 16 sq.mm. earth wire	Metre Metre Metre Metre Metre Metre	100 160 60 40 Rate only Rate only		
5.	Supplying and drawing following pair 0.5 sq.mm. FR PVC insulated annealed copper conductor, unarmored telephone cable in the existing surface/recessed steel /PVC conduit as required. 1. 2 Pair 2. 4 Pair	Metre Metre	500 150		
6.	Supplying and drawing co-axial TV cable RG – 6 grade, 0.7 mm solid copper conductor PE insulated, shielded with fine tinned copper braid and protected with PVC sheath in the existing	Metre	100		

	surface/recessed steel/PVC conduit as required.				
7.	<p>Supplying and fixing of following sizes of medium class PVC conduit along with accessories in surface/recess including cutting the wall and making good the same in case of recessed conduit as required.</p> <ol style="list-style-type: none"> 1. 20mm 2. 25mm 3. 32mm 	<p>Metre</p> <p>Metre</p> <p>Metre</p>	<p>60</p> <p>100</p> <p>40</p>		
8.	<p>Supplying and fixing following modular switch/socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required.</p> <ol style="list-style-type: none"> 1. 5/6 amps switch 2. 2 ways 5/6 switch 3. 15/16 amp switch 4. 3 pin 5/6 amp socket outlet 5. 6 pin 15/16 amp socket outlet 6. Telephone socket outlet 7. TV antenna socket outlet 8. Bell push 	<p>Each</p> <p>Each</p> <p>Each</p> <p>Each</p> <p>Each</p> <p>Each</p> <p>Each</p> <p>Each</p>	<p>80</p> <p>5</p> <p>30</p> <p>15</p> <p>15</p> <p>15</p> <p>5</p> <p>5</p>		
9.	Supplying and fixing stepped type electronic fan regulator on the existing modular plate switch box including connections but excluding modular plate etc. as required.	Each	Rate only		
10.	<p>Supplying and fixing following size/modules, GI box along with modular base & cover plate for modular switches in recess etc as required.</p> <ol style="list-style-type: none"> 1. 4 Modules (125mmx75mm) 2. 6 Modules (200mmx75mm) 3. 8 Modules (125mmx125mm) 4. 12 Modules (200mmx150mm) 	<p>Each</p> <p>Each</p> <p>Each</p> <p>Each</p>	<p>Rate only</p> <p>50</p> <p>Rate only</p> <p>10</p>		
11.	Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and fixing 3 pin 5/6 amps modular socket outlet and 5/6 amps modular switch, connection etc. as required. (For light plugs to be used in non residential buildings.)	Each	20		
12.	Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and fixing 6 pin 5/6 & 15/16 amps modular socket outlet and 15/16 amps modular switch, connection etc. as required.	Each	30		
13.	Wiring for light/power plug with 4x4 sq.mm. FR PVC insulated copper conductor single core cable in surface/recessed medium class PVC conduit along with 2 Nos. 4 sq. mm. FR PVC insulated copper conductor single core cable for loop earthing as required.	Metre	40		
14.	P&F of TPN MCB DB Vertical Type 12 way (4+36)	Each	3		

	Single door				
--	-------------	--	--	--	--

Terms and Conditions

1. All the material must comply the IS standards/approved brands.
2. The work is to be completed within 30 days from the date of work order.
3. In case of delay, a penalty @ 1% per week shall be levied with a ceiling of 5% (max).
4. In case of slow progress/stoppage of work without valid reasons, the Board shall have the power to rescind the work & get the same executed at the risk & cost of the defaulting agency.
5. In no case unspecified material is to be brought at site.
6. The work has to be executed as per the CPWD specifications as well as best engg. practices.
7. In case of poor workmanship, the work shall be got redone by the agency without any extra charges.
8. The elect. Copper cables shall be of Kalinga/Havell's/Plaza/Anchor/Finolex.
9. Modular type switches shall be of Havell's/Northwest/Anchor/Legrand.
10. The TPN/DB/MDB/MCB'S shall be of Havell's/Anchor/Standard/Hager/L&T/EE.
11. The quantities are tentative & may vary to any extent.
12. Extra item if any shall be paid on analysed/Justified rates.

(Signature of the tenderer)
with complete address and seal
Tel No.
Mobile No.
Date.